

Pavers by Ideal® - Traditional Pavers

PAVER		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
Andover Collection™ Smooth ¹ & StoneCleft ^{1,4}		5.5"	11"	7cm	2/set	3.8sf/set	3 sets/ layer	27 sets/ cube	102.6	3160 lb SM 3200 lb SC	
		11"	11"	7cm	2/set						
		11"	16.5"	7cm	1/set						
Andover 5511™ Smooth ^{1,4}		5.5"	11"	7cm	2.38	---	---	240	100.84	3100 lb	
Boston Colonial Pavers®		4"	8"	6cm	4.5	81	18	486	108	2945 lb	
		4"	8"	8cm ⁵	4.5	63	14	378	84	3095 lb	
BrookStone™ 2, 4		Varies	Varies	7cm	11 shapes & sizes	---	12 sf/ layer	7 layers	84	1860 lb	
Portsmouth Cobble™ 2, 4		5.5"	5.5"	7cm	1.09 sf/set of four	6 sets of four sizes per layer	6.5 sf/ layer	10 layers	65	2673 lb	
		5.5"	6.65"	7cm							
		5.5"	7.64"	7cm							
		5.5"	8.8"	7cm							
Yankee Cobble™	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2850 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3045 lb	
Circle Pak ³	Sm. Rec.	3.1"	6.3"	6cm	---	1/layer	---	6	64.32	1785 lb	
	Med. Rec.	4.8"	6.3"		---	20/layer	---	120			
	Sm. Wedge	---	---		---	29/layer	---	174			
	Lg. Wedge	---	---		---	3/layer	---	18			
	Center Stone	---	---		---	1/layer	---	6			

Pavers by Ideal® - Drum-Roll Tumbled™ Pavers

PAVER		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
MillStone™	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2850 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3045 lb	

Pavers by Ideal® - Permeable Pavers

PAVER		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
Aqua-Bric®		4"	8"	6cm	4.5	81	18	486	108	2750 lb	
Aqua-Bric® 8^{2,5}		4.5"	9"	8cm	3.55	---	11.25 sf/ layer	7 layers	78.75	2700 lb	
Turfstone™	65 lb/pc	24"	16"	8cm	2.6 sf/pc	14	36.4	56	145.6	3480 lb	

Approximate weights: 6cm - 27 lb/sf • 7cm - 32 lb/sf • 8cm - 36.5 lb/sf • 10cm - 45 lb/sf

Weight per cube is approximate and includes the pallet. • 1: Andover Collection is sold by the set. • 2: BrookStone, Portsmouth Cobble, and Aqua-Bric® 8 are sold by the layer. • 3: Yankee Cobble Circle Paks are sold by the pallet. • 4: Can be used in traditional or permeable applications. • 5: Item is manufactured Made to Order Only. Please contact us or your local Ideal dealer for information on availability and pricing.



Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.

Andover Collection, 5511's, and Portsmouth Cobble are ONLY available with:



Pavers by Ideal® - Retaining & Garden Walls

WALLSTONE		H	W	D	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU	NEW LOOK! 
Ancestral™ WallStone	3” high set	3”	16/14”	10”	.83 sf/set 1.2 sets/sf	95/set	30 sets/cu	25	2900 lb	
		3”	14/12”	10”						
		3”	12/10”	10”						
	6” high set	6”	16/14”	10”	1.66 sf/set .6 sets/sf	150/set	15 sets/cu	25	2250 lb	
		6”	14/12”	10”						
		6”	12/10”	10”						
Fat Face	Standard Unit	8”	18”	11.25”	1	80	45	45	3625 lb	
	Corner Unit	8”	15”	6”	—	68.5	54	—	3699 lb	
Olde Boston™ Wall		4”	12”	8”	3.1	28	108	34.8	3060 lb	
Roman Pisa®	Stretcher	6”	8”	12”	3	42	80	26.7	3350 lb	
	Stretcher Tapered Cap	6”	8”	12”	1.5/lf (3/sf)	42	80	53.3 lf/ 26.7sf	3350 lb	
	Half Unit	6”	4”	12”	6	22	120	20	2650 lb	
	Corner Unit (Reversible)	6”	8”	12”	—	32	80	—	2595 lb	
	Jumbo Unit	6”	12”	8”	2	32	80	40	2595 lb	

Pavers by Ideal® - Coping

COPING	H	W	D	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU	NEW LOOK! 
Ancestral™ Coping Paired set	3.63"	16/13"	13"	2.16 lf/pr	98.5/pr	36 pairs	77.8	3590 lb	
	3.63"	13/10"	13"						
Universal Coping Stone	3.63"	16"	13"	1.33	61	63	84	3910 lb	
CastStone™ RockFace Coping*	3"	48"	24"	4	300	6	24	1800 lb	
	3"	24"	14"	2	95	24	48	2330 lb	

Pavers by Ideal® - Steps with Style™

STEP	STYLE	RISE	SIZE	WT/PC	PCS	WT/PALLET	
Chelmsford™ Step	—	7"	48" l x 15" d	475	8	3800 lb	
Rockport™ Step Collection	Step A	7"	42" l x 18" d	350	8	2800 lb	
	Step C	7"	48" l x 18" d	510	8	4096 lb	
	Step D	7"	54" l x 24" d	565	8	4520 lb	
	Step F	7"	60" l x 18" d	600	8	4800 lb	
Rockport™ Pathway Stones* *sold as a set consisting of all 3 sizes	RPS A	2 3/4"	35 3/4" l x 18 1/8" d	97	5 sets (3 ea)	1875 lb	
	RPS B	2 3/4"	34" l x 21 7/8" d	137			
	RPSC C	2 3/4"	30 3/4" l x 22 1/4" d	120			

Pavers by Ideal® - Edging & Caps

GARDEN PRODUCTS	H	W	D	COVERAGE	WT/PC	PCS/CU	LF/CU	WT/CU	
CurbStone™ Edging	8"	12"	4"	1/lf	25	90	90	2280 lb	
Carlisle™ Pillar Cap	3"	24"	24"	—	148	10	—	1515 lb	


* 3"x24"x14" CastStone Rockface Coping available as straight edge or corner edge

● All product sizes are modular based on mold manufacturers' dimensions. Metric sizes have been soft converted to U.S. measurements.

● Square foot coverage of pavers includes allowance for joint sand or stone.





Please contact our Sales Office or your Authorized Dealer for Availability, Pricing, Set-up Charges, Terms and Conditions, and Product Specifications. Please note: Product offerings may change during the year. Please visit www.paversbyideal.com for the most up-to-date Color Product Packaging Directory information

Pavers by Ideal® - Fire Pits & Accessories

FIRE PITS & ACCESSORIES		H	W	D	COVERAGE	WT/PC	PCS/CU	PER/CU	WT/CU	
ScapeStone™ Fire Pit Block	FP	4"	12"	6"	11/course	20	110	5 layers	2235 lb	
	XL	4"	12 3/8"	6 1/4"	14/course	22	126	6 layers	2850 lb	
Ring-n-Grate		8"	---	30"	Grates 500 sq in.	67	---	---	---	
Round Ring w/out Grate	FP	8"	---	30"	---	34	---	---	---	
	XL	8"	---	44"	---	50	---	---	---	
Square Ring without Grate *Bolt together frame		8"	28"	28"	---	35	---	---	---	
CastStone™ Square Fire Pit Coping		3"	10"	38.5"	4 pcs/set	94	12	3 sets/cu	1155 lb	
CastStone™ Round Fire Pit Coping	FP	3"	7"	44.5" o.d.	3 pcs/set	55	12	4 sets/ cu	375 lb	
	XL	3"	7 1.2"	60" o.d.	4 pcs/set	80	8	2 sets/ cu	695 lb	




The CastStone™ Round and Square Fire Pit Coping, and RockFace Wall Coping should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place

Pavers by Ideal® - King of Hearths

FIREPLACE	H	W	D	FIRE BOX OPENING	PCS/UNIT	OUTSIDE SURFACE	OUTSIDE CORNER	WT	
King Arthur	88 3/4"	46 3/4"	27"	36" x 37"	3	63 sf	36 lf	2100 lb	
Guinevere	80 1/2"	38"	27"	28" x 28"	2	46 sf	28 lf	1700 lb	
Lancelot Oven	48"	35 1/4"	57 1/4"	13" x 24"	1	26-30 sf	18 lf	2000 lb	
Reversible Side Storage Box	36"	26"	26"	---	1	---	---	260 lb	

Note: Fireplaces and oven must be veneered and require a spark arrestor with a solid top (not included).

Pavers by Ideal® - Product Accessories



Pavers by Ideal® - Concrete Block & Brick								
CONCRETE BLOCK & BRICK	D	H	W	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
4" x 8" x 16" Cored	3 5/8"	7 5/8"	15 5/8"	1.125	24	120	106.67	2884 lb
4" x 8" x 16" Solid	3 5/8"	7 5/8"	15 5/8"	1.125	33	120	106.67	3970 lb
6" x 8" x 16" Cored	5 5/8"	7 5/8"	15 5/8"	1.125	28	96	85.33	2688 lb
6" x 8" x 16" Solid	5 5/8"	7 5/8"	15 5/8"	1.125	53	72	64	3816 lb
8" x 8" x 16" Cored	7 5/8"	7 5/8"	15 5/8"	1.125	38	72	64	2761 lb
8" x 8" x 8" Half Cored	7 5/8"	7 5/8"	7 5/8"	2.25	23	120	53.33	2760 lb
8" x 8" x 16" Solid	7 5/8"	7 5/8"	15 5/8"	1.125	71	48	42.67	3408 lb
10" x 8" x 16" Cored	9 5/8"	7 5/8"	15 5/8"	1.125	46	48	42.67	2190 lb
12" x 8" x 16" Cored	11 5/8"	7 5/8"	15 5/8"	1.125	55	48	42.67	2640 lb
12" x 8" x 8" Half Cored	11 5/8"	7 5/8"	7 5/8"	2.25	32	88	39.11	2816 lb
1 5/8" x 8" x 16" Patio Block	7 5/8"	1 5/8"	15 5/8"	---	16	240	---	3800 lb
4" x 8" Ideal Natural Brick	3 5/8"	2 1/4"	7 5/8"	7 (laid vertically)	5	540	77.14	2727 lb

All concrete masonry units are produced in a “natural” concrete color.

Pavers by Ideal® - Color Availability								
Pavers		GB	BHB	QB	VB	P	CB	OG
Andover Collection™ Smooth & StoneCleft	7cm						◆	◆
Andover 5511™ Smooth	7cm	◆						◆
Aqua-Bric®	6cm			◆	◆			
Aqua-Bric® 8	8cm							
Boston Colonial Pavers®	6cm	◆	◆	◆	◆			
	8cm							
BrookStone™	7cm	◆		◆	◆			
MillStone™	6cm			◆	◆			
Portsmouth Cobble™	7cm	◆						
Turfstone™	8cm					◆		
Yankee Cobble™	6cm	Sq & Lg R ◆	Sq & Lg R ◆	◆	◆			
Walls & Coping		P	GB		VB		QB	Slate Grey
Ancestral™ Wall Stone - New non-tumbled look					◆		◆	
Fat Face					◆		◆	
Olde Boston™ Wall		◆	◆		◆		◆	
Roman Pisa®					◆		◆	
Ancestral™ Coping - New non-tumbled look			◆		◆		◆	
Universal Coping Stone			◆		◆		◆	
CastStone™ Rockface Coping								◆
Garden Products/Outdoor Living		VB	QB		GB			Slate Grey
CurbStone Edging		◆	◆					
ScapeStone™ Fire Pit Block (FP & XL)		◆	◆					
Carlisle™ Pillar Caps					◆			◆
CastStone Round & Square Fire Pit Coping					Square			◆
Steps		Slate Grey			Fieldstone Blend			
Chelmsford™ Step		◆						
Rockport™ Step					◆			
Rockport™ Pathway Stones					◆			

GB = Graphite Black

BHB = Beacon Hill Blend

QB = Quarry Blend

VB = Vineyard Blend

P = Pewter

CB = Chatham Blend

OG = Oxford Grey

Regularly Produced

Made to Order - Call for lead time

Not Available

NEW LOOK!

Ancestral Wall Stone & Coping are no longer tumbled

Andover Collection, 5511's, and Portsmouth Cobble are ONLY available with:

Read Me

Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.

Waltham and Westford, MA • 781.894.3200 • info@idealconcreteblock.com • PaversbyIdeal.com

