



COLOR & PRODUCT PACKAGING 2026

PAVERS

COLOR 4D

Andover Collection™ - Smooth & StoneCleft³

Thickness: 2 3/4" - 7cm (70mm)



Chatham Blend

Oxford Grey

PCS/SET	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
(1) 11" x 16.5" (2) 5.5" x 11" (2) 11" x 11"	3 sets/layer	3.8 sf/set	27 sets/cube	102.6	3200 lb SM 3100 lb SC

Andover GrandStone™ - Smooth

Thickness: 2 3/4" - 7cm (70mm)



16.5" x 22"



Chatham Blend

Oxford Grey

PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
2.52 sf/pc	4 pcs/layer	40	100.8	3125 lb

Andover 5511™ - Smooth & StoneCleft³

Thickness: 2 3/4" - 7cm (70mm)



5.5" x 11"



Graphite

Pewter
*Smooth Only

Chatham Blend
*Smooth Only

Oxford Grey

PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
2.38	24 pcs/layer	240	100.84	3175 lb SM 3075 lb SC

Brookline Slab

Thickness: 2 3/4" - 7cm (70mm)



16.5" x 27.5"



Oxford Grey

PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
3.15 sf/pc	3 pcs/layer	30	94.5	3000 lb

Newbury Brick™

Thickness: 2 3/4" - 7cm (70mm)



2.75" x 8.25"



Graphite

Pewter

Russet Red


PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
6.35	75 pcs/layer	600	94.5	3025 lb

Portsmouth Cobble™ 1, 3

Thickness: 2 3/4" - 7cm (70mm)



5.5" x 5.5"
5.5" x 6.65"
5.5" x 7.64"
5.5" x 8.8"




Graphite

Oxford Grey

PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
1.09 sf/set (2.38 lf/set of four)	9 of each size per layer	9.81 sf/layer (21.42 lf/layer)	9 layers	88.29	2475 lb


Boston Colonial Pavers® with

Thickness: 2 3/8" - 6cm (60mm)



4" x 8"

*Non Color 4D options on next page



Graphite

PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
4.5	81	18	486	108	2900 lb

StraightLine™

Thickness: 4" - 10cm (100mm)



4.3" x 17.2"



Graphite

Pewter

Oxford Grey

PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
1.96	22 pcs/layer	132	67.35	3225 lb

COLOR 4D (Continued)

Windsor Slab™

Thickness: 2 3/4" - 7cm (70mm)



Lg. Rectangle
16.5" x 33"



Sm. Rectangle
8.25" x 16.5"



Square
16.5" x 16.5"



Mineral Blue

	PCS/SF	PCS/SECT	PCS/CU	SF/CU	WT/CU
Lg. Rec.	.26 pcs/sf • 3.78 sf/pc	3 pcs/layer	27	102.06	3275 lb
Sm. Rec.	1.06 pcs/sf • .95 sf/pc	12 pcs/layer	108	102.06	3125 lb
Square	.53 pcs/sf • 1.89 sf/pc	9 pcs/layer	54	102.06	3100 lb

DRUM-ROLL TUMBLED

MillStone™

Thickness: 2 3/8" - 6cm (60mm)



Lg. Rectangle
6.3" x 9.4"



Square
6.3" x 6.3"



Vineyard Blend



Quarry Blend

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
Lg. Rec.	2.42	54	22.3	270	111.57	3100 lb
Square	3.62	54	14.9	378	104.42	2800 lb

Georgetown Colonial™

Thickness: 2 3/8" - 6cm (60mm)



4" x 8"



Beacon Hill Blend



Vineyard Blend



Quarry Blend

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
	4.5	81	18	486	108	2850 lb

TRADITIONAL


Boston Colonial Pavers®

Thickness: 2 3/8" - 6cm (60mm)

*Boston Colonial 8cm MTO with occasional stock availability



4" x 8"



Graphite



Beacon Hill Blend



Vineyard Blend



Quarry Blend

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
6cm	4.5	81	18	486	108	2900 lb
8cm	4.5	63	14	378	84	2950 lb

BrookStone™ 1, 3

Thickness: 2 3/4" - 7cm (70mm)



11 Shapes & Sizes



Graphite



Vineyard Blend



Quarry Blend

	PCS/SF	SF/SECT	PCS/CU	SF/CU	WT/CU
11 Shapes & Sizes		12 sf/layer	7 layers	84	1925 lb

Encora™ - *MTO with occasional stock availability

Thickness: 2 3/8" - 6cm (60mm)



5.5" x 9"



Beacon Hill Blend



Quarry Blend

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
	3.5	72	20.6	360	102.86	2800 lb

Ridge Hill Collection™ Smooth & StoneCleft¹

Thickness: 2 3/8" - 6cm (60mm)



8" x 12"
6 per layer



4" x 8"
12 per layer



8" x 8"
12 per layer



Forge Blend



Dover Grey

	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
	30 pieces per layer	12 sf/layer	9 layers	108	2850 lb SM 2850 lb SC

Yankee Cobble™


Thickness: 2 3/8" - 6cm (60mm)



Lg. Rectangle
6.3" x 9.4"



Square
6.3" x 6.3"



Grand Square
9.4" x 9.4"



Graphite
*Not Available in
Grand Square



Beacon Hill Blend
*Not Available in
Grand Square or Circle Pak




Vineyard Blend



Quarry Blend

Yankee Cobble™ 2 (Continued)



CirclePak
32" to 133.5" Diameter

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
Lg. Rec.	2.42	54	22.3	270	111.57	3125 lb
Square	3.62	54	14.9	378	104.42	2875 lb
Grand Square	1.61	36	22.4	180	111.8	3075 lb

CIRCLE PAK	PCS/SECT	PCS/CU	SF/CU	WT/CU
Sm. Rec.	1/layer	9		
Med. Rec.	22/layer	198		
Sm. Wedge	28/layer	252	97.21	2700 lb
Lg. Wedge	2/layer	18		
Center Stone	1/layer	9		

PERMEABLE

Aqua-Bric® & Aqua-Bric® 8¹

Thickness: Aqua-Bric - 2 3/8" - 6cm (60mm), Aqua-Bric 8 - 3 1/8" - 8cm (80mm)

*Aqua-Bric 8 MTO with occasional stock availability



Aqua-Bric
4" x 8"



Aqua-Bric 8
4.5" x 9"
(28 units per layer)



Aqua-Bric 8
4.5" x 13.5"
(8 units per layer)



Beacon Hill Blend



Vineyard Blend




Quarry Blend

	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
Aqua-Bric	4.5	81	18	486	108	2725 lb
Aqua-Bric 8	3.55	---	11.25 sf/layer	7 layers	78.75	2800 lb

Turfstone™

Thickness: 3 1/8" - 8cm (80mm)



24" x 16"



Pewter

PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
2.6 sf/pc	14	36.4	56	145.6	3475 lb (61.60 lb/pc)

Approximate weights: 6cm - 27 lb/sf • 7cm - 32 lb/sf • 8cm - 37 lb/sf • 10cm - 45 lb/sf

1: BrookStone, Portsmouth Cobble, Aqua-Bric 8, and Ridge Hill Collection are sold by the layer. • 2: Yankee Cobble Circle Paks are sold by the pallet. • 3: Can be used in traditional or permeable applications.


WALLS & COPING

WALLS

Ancestral™ WallStone 3" & 6"

*Each height is sold by the set (1 of each size)

3" high set




12"/10" 12"/14" 16"/14"
13" deep

6" high set




12"/10" 12"/14" 16"/14"
13" deep



Graphite
*3" Only




Vineyard Blend



Quarry Blend

	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
3" Set	.83 sf/set • 1.2 set/sf	85 lb/set	30 sets/cu	25	2575 lb
6" Set	1.66 sf/set • .6 sets/sf	169 lb/set	15 sets/cu	25	2550 lb

Olde Boston™ Wall



4" x 12" x 8"



Graphite
*Non-tumbled



Pewter



Vineyard Blend




Quarry Blend


PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
3.1	31 lb	108	34.8	3225 lb

StoneWall® ION


*Corners sold by the pair




Stretcher Unit
Face 1: 6" x 18" x 11"
Face 2: 6" x 12" x 11"



Left Corner
Face 1: 6" x 18"
Face 2: 6" x 15"
End Face: 6" x 11"




Right Corner
Face 1: 6" x 18"
Face 2: 6" x 15"
End Face: 6" x 11"



Quarry Blend


	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
Stretcher Unit	1.6 (Multi Face) 1.33 (Single Sided Lg. Face Only)	55 lb	45	28.10 Multi 33.85 Single	2500 lb
Corner Unit	---	68 lb/pc (136 lb/pr)	20 pairs	20 lf	2750 lb

Fat Face® 2.0



Standard Unit
8" x 18" x 10.125"

Corner Unit
8" x 15" x 6"




Vineyard Blend

Quarry Blend

	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
Standard Unit	1	64 lb	45	45	2900 lb
Corner	---	53 lb	54	36 lf	2850 lb

GravityStone® Units



Trunk
8" x 24" x 4"

Anchor
8" x 12" x 5"

	WT/PC	PCS/CU	WT/CU
Trunk	55 lb	64	3550 lb
Anchor	27 lb	96	2575 lb

Roman Pisa®



Stretcher Unit
6" x 8" x 12"


Stretcher Cap
6" x 8" x 12"

Half Unit
6" x 4" x 12"



Vineyard Blend

Quarry Blend



Jumbo Unit
6" x 12" x 8"


Corner - Reversible
6" x 8" x 12"

	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
Stretcher Unit	3	43 lb	80	26.7	3400 lb
Stretcher Cap	1.5/lf (3/sf)	41 lb	80	53.3 lf/26.7 sf	3300 lb
Half Unit	6	23 lb	120	20	2750 lb
Corner Unit (Reversible)	---	34 lb	80	40 lf	2750 lb
Jumbo Unit	2	33 lb	80	40	2625 lb

COPING

Ancestral™ Coping

*Sold by the pair (1) of each size



16/13" x 3.63" x 13" • 13/10" x 3.63" x 13"



Graphite

Vineyard Blend


Quarry Blend

	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
	2.16 lf/pr	100 lb/pr	36 pairs	77.8	3600 lb

StoneWall® ION Coping



16" x 2.75" x 12"



Graphite

Mineral Blue

Quarry Blend

	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
	1.33	43 lb	72	95.75	3150

Universal Coping



16" x 3.63" x 13"




Graphite

Vineyard Blend

Quarry Blend

	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
	1.33	61 lb	63	84	3825 lb

CastStone™ RockFace Coping



48" x 3" x 24"
Rockface along all 4 edges

24" x 3" x 14"

End/Corner Unit

Middle Unit




Graphite

Slate Grey


	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
48"	4	334 lb	6	24	2025 lb
24"	2	93 lb	24	48	2225 lb

8" Bullnose Coping - Single & Double Sided



Single Bullnose
8" x 2.75" x 14"

Double Bullnose
8" x 2.75" x 14"



Graphite

Quarry Blend

	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
	.66 lf/pc • 1.5 pcs/lf	24 lb	120	80	2875 lb


ELEMENTS

STEPS & CAPS

Chelmsford™ Step



48" x 7" x 15"
Rockface side



48" x 7" x 15"
Feather and Wedge side



Slate Grey

WT/PC	PCS/CU	WT/CU
463	8	3725 lb

Rockport™ Step Collection 2.0



Step A
54" x 7" x 25"



Step B
48" x 7" x 25"



Step C
25" x 7" x 28.5"



Fieldstone Blend

	WT/PC	PCS/CU	WT/CU
Step A	738 lb	4	2975 lb
Step B	694 lb	4	2800 lb
Step C	369 lb	4	1500 lb

Rockport™ Pathway Stones

Thickness: 2 3/4" - 7cm (70mm)



RPS A
25.75" x 18.125"



RPS B
34" x 21.875"



RPS C
30.75" x 22.25"



Fieldstone Blend


	WT/PC	PCS/CU	WT/CU
RPS A	95 lb		
RPS B	135 lb	5 sets (3 each)	1700 lb
RPS C	115 lb		

*Sold by the 3-piece set of (1) of each size.


Carlisle™ Pillar Cap



24" x 3" x 24"



Graphite



Slate Grey

WT/PC	PCS/CU	WT/CU
153 lb	12	1850 lb

FIRE PITS

ScapeStone™ Fire Pit



ScapeStone
12" x 6" x 4"



ScapeStone XL
12" x 6" x 4"

ScapeStone Assembled Dimensions: 30" ID, 44" OD
ScapeStone XL Assembled Dimensions: 44" ID, 60" OD



Vineyard Blend




Quarry Blend

	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU
ScapeStone	11/course	20 lb	110	10 courses	2200 lb
ScapeStone XL	14/course	22 lb	126	9 courses	2775 lb


CastStone™ Fire Pit Coping




Round Coping: 7" x 44.5" OD x 3"
Round Coping XL: 7.5" x 60" OD x 3"



Square Coping: 10" x 38.5" x 3"



Graphite



Slate Grey

	COVERAGE	WT/PC	SF/CU	WT/CU
Round Coping	3 pcs/set	69 lb	4 sets/cu	850 lb
Round Coping XL	4 pcs/set	88 lb	2 sets/cu	725 lb
Square Coping	4 pcs/set	105 lb	3 sets/cu	1275 lb


Fire Pit Rings



Round: 8" x 30" diameter
Round XL: 8" x 44" diameter



Round Ring-n-Grate: 8" x 30" diameter




Square: 8" x 28" x 28" *Bolt Assembly

	COVERAGE	WT/PC
Round	---	33 lb
Round XL	---	49 lb
Round Ring-n-Grate	Grates 500 sq in.	65 lb
Square	---	35 lb

HEARTHSCAPES BY IDEAL™

OUTDOOR FIREPLACES

Belknap™ Series




44" x 29.50" x 77.75"

FIRE BOX OPENING	PCS/UNIT	OUTSIDE SURFACE	OUTSIDE CORNER	WT
Rectangular	2 (Core Unit and 1 Chimney Extension)	64 sf	36 lf	3400 lb

Note: Fireplaces must be veneered and require a spark arrestor with a solid top (not included). Fireplaces must be seasoned 3-4 times prior to veneering. See installation document on our website for more details.

Fairfield™ Series



44" x 29.50" x 77.75"


FIRE BOX OPENING	PCS/UNIT	OUTSIDE SURFACE	OUTSIDE CORNER	WT
Arched	2 (Core Unit and 1 Chimney Extension)	64 sf	36 lf	3350 lb

Note: Fireplaces must be veneered and require a spark arrestor with a solid top (not included). Fireplaces must be seasoned 3-4 times prior to veneering. See installation document on our website for more details.

Chimney Extension & Universal Side Storage Box



Chimney Extension
22" x 22" x 12"



Universal Side Storage Box
30" x 26" x 30"
*Reversible left and right

	CHIMNEY OPENING	OUTSIDE SURFACE	OUTSIDE CORNER	WT
Chimney Extension	Designed to accept 13" x 13" flue with no lintel required	7.5 sf	4 lf	225 lb
Universal Side Storage Box	---	11.66 sf	2.5 lf	450 lb

CONCRETE BLOCK & BRICK

CONCRETE BLOCK & BRICK	D	H	W	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
4" x 8" x 16" Cored	3.625"	7.625"	15.625"	1.125	26 lb	120	106.67	3125 lb
4" x 8" x 16" Solid	3.625"	7.625"	15.625"	1.125	36 lb	120	106.67	4250 lb
6" x 8" x 16" Cored	5.625"	7.625"	15.625"	1.125	30 lb	96	85.33	2825 lb
6" x 8" x 16" Solid	5.625"	7.625"	15.625"	1.125	54 lb	72	64	3900 lb
8" x 8" x 16" Cored	7.625"	7.625"	15.625"	1.125	38 lb	72	64	2725 lb
8" x 8" x 16" Half Cored	7.625"	7.625"	7.625"	2.25	24 lb	120	53.33	2850 lb
8" x 8" x 16" Solid	7.625"	7.625"	15.625"	1.125	74 lb	48	42.67	3550 lb
10" x 8" x 16" Cored	9.625"	7.625"	15.625"	1.125	52 lb	60	53.40	3100 lb
12" x 8" x 16" Cored	11.625"	7.625"	15.625"	1.125	55 lb	48	42.67	2625 lb
12" x 8" x 8" Half Cored	11.625"	7.625"	7.625"	2.25	33 lb	88	39.11	2925 lb
1 5/8" x 8" x 16" Patio Block	7.625"	1.625"	15.625"	---	16 lb	240	---	3900 lb
4" x 8" Ideal Natural Brick	3.625"	2.25"	7.625"	7 (laid vertically)	5 lb	540	77.14	2800 lb
6" x 8" Barrel Block	8"	5.625"	11.625"	---	48 lb	72	---	3475 lb

All concrete masonry units are produced in a "natural" concrete color.

 **Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.**



Trademark Information

Andover Collection™, Andover 5511™, Boston Colonial Pavers®, Yankee Cobble™, MillStone™, BrookStone™, Portsmouth Cobble™, CastStone Coping™, CurbStone™, ScapeStone™, Olde Boston™ Wall, Ancestral WallStone & Coping™, Chelmsford Step™, Carlisle™ Pillar Cap, RockPort™ Steps & Pathway Stones, Universal Coping™, Color with 4D Technology™, Newbury Brick™, Ridge Hill Collection™, Rockport Steps™ 2.0, HearthScapes™, Fairfield™, Belknap™, Andover Grandstone™, and StraightLine™ are trademarks of Ideal Concrete Block Co.

Ideal is contracted to produce a number of products under exclusive license agreements.

Roman Pisa® is a registered trademark of RisiStone.

Fat Face 2.0® and StoneWall® Ion are a registered trademark of Westblock Systems, Inc.

Aqua-Bric® and Aqua-Bric 8™ are registered trademarks of Advanced Pavement Technology.

Waltham and Westford, MA • 781.894.3200

info@idealblock.com • IdealBlock.com



IDEAL
PAVERS | WALLS | ELEMENTS